



The Cosiflor pleated blinds range offers the perfect solution to provide privacy and light control for New Zealand's contemporary and traditional homes. The extensive range of fabrics, colours, patterns and transparency grades ensure that there is a quality solution for everyone. The pleated blinds with the metallised backing provide outstanding insulation properties (Fc values).

With Cosiflor you can be certain to have a premium quality product in your home – the German design uses only European made components and fabrics. Today most Cosiflor blind designs are proudly manufactured in New Zealand according to highest industry standards.

The Cosiflor system offers solutions for a wide range of window and doors designs. Blinds for skylights, conservatories, arched and triangular windows are possible options.

Child safety





The Cosiflor system offers child safe blinds which are operated with a handle instead of a cord or chain. The VS range is child safe as there are no loose cords or loops. For cord- and chain operated blinds we offer special fittings so that the cord and chain can be kept out of children's reach.

Motorisation



Cosiflor motorised blinds are using quality Somfy motors, receivers, transformers and control systems. The company Somfy is the world leader in blind automation - the system allows you to operate your blinds with a wall mounted switch, a remote control or the blinds can be integrated in a "Smart Home" system.






Cutting energy cost is becoming ever more important. Intelligent deployment of interior solar protection can help to achieve this.

TwinGo blinds fulfil an insulating function at the window, lending a pleasant living climate to the room, regardless of the time of the year or the temperature outdoors. This effect is due to the honeycomb structure which contains a cushion of air and thus acts as an excellent buffer against cold and heat.

The high quality TwinGo honeycomb blinds is characterised by hidden punch holes through which the cords run. This minimizes the penetration of light. Black out fabrics in particular profit as a result.

All Cosiflor and TwinGo fabrics have been tested for the Fc value. The Fc value describes the shading factor provided by a sun shade system. The lower the Fc value, the better the thermal properties of the fabric. Check the Fc values on the backside of the collection cards.



Low Fc values – high savings


The following applies in Winter:

The lower the Fc value, the less the thermal loss through the window when TwinGo blinds are installed. In the picture above TwinGo thermal blinds are fitted to the left-hand window. The red colour in the right window, which hasn't TwinGo blinds fitted, indicates substantial heat loss.

The following applies in Summer:

The lower the Fc value, the greater the shading provided from solar radiation by TwinGo blinds.






Size ranges

F1 / F4 / FE	max. width 320 cm / max. height 260 cm
F3	max. width 150 cm / max. height 260 cm
F2	max. width 200 cm / max. height 260cm

Features

F1	with cord lock – fabric stack doesn't sack
F3	two cords – fabric stack doesn't sack, day & night blind with 2 different fabrics
F4	with endless chain, no gear overlapping on the sides
FE	with motor – operable by switch, remote control
F Slope 2	with cord lock – stack retracts fully to angled rail




Size ranges

VS1 / VS2 / VS3	max. width 150 cm / max. height 150 cm or max. width 120 cm / max. height 220 cm
VS4	max. width 150 cm / max. height 150 cm or max. width 120 cm / max. height 220 cm
VS5	max. width 150 cm / max. height 150 cm or max. width 120 cm / max. height 200 cm

Features

VS1	pre tensioned with 1 operating rail
VS2	pre tensioned with 2 operating rails
VS3	pre tensioned with 2 operating rails / day & night
VS4 Slope	pre tensioned with 1 operating rail
VS5	pre tensioned, pentagon with one operating rail



Size ranges

All designs	max. width 150 cm / max. height 150 cm
-------------	--

Features

DF Comfort 10	with guide bars, cover & one operating rail
DF Comfort 20	with guide bars and 2 operating rails
DF Comfort 30	with guide bars, cover & 2 operating rails, night & day blind
DF 10	with one operating rail
DF 20	with two operating rails
DF 30	with two operating rails, day & night blind



For further advice and assistance: